Author Index

Abbott W.M.	Des Julius DE
Abbott W.M	Dondelinger R.F
	Dorman R.L. Jr
	Dorros G
	Dravid V.S
	Duvoux C
Alvarez-Cienfuegos J	Erb S.R
	Faissola B
Bach-Lijour B	Farinet S
Baguet J.C	Feger C
Baleynaud S	Felder P
Bartoli JM	Feltrin G.P
Bartolozzi C	Flandroy P
Beard J.D	
Becker C.D	Gabata T
Becker G.J	Gaines P.A
Benenati J.F	
Berger JF	
Bertozzi G	mr r
Bilbao J.I	Gimbergues P
Bird S.M	Glantz M.G
Bogey W.M. Jr	Glassman M.L
Boissier A	Göçmen A
Bosňjaković P	Goffette P
Bottcher H.D	Grossetête R
Boyer L	Grosso M
Breddin K.H	Günther R.W
Brown J	Gupta A.K
Brunel P	Han J.K
Bruneval P	Han M.C
Bülow J	Hanada Y
Capello S	Hanks S.E
Carabasi R.A	Hansen M.E
Caramella D	Hara M
Carter W.B	Harrell D.S
Castellan L	Hartnell G.G
Chagnaud C	Haskal Z.J
Cheong WF	Hawkins I.F. Jr
Cherqui D	Helgstrand U
Chiang K.S	Hill K.L
Chiesura-Corona M	Hiraki Y
Cho K.J	Hodgson T.J
Choo I.W	Holstein P
Chung J.W	Hoogewoud HM
Cioni R	Hori A
Clerc C	Ilić M
Cluzel P	Inoue H
Cockburn J	Ivković T
Connell D.G	Iwai T
Cope C	Iyer G.S
Coulon M	Jackson J
Coustet B	Jaeger H.J
Crilly R.J	Jarmolowski C.R
Crochet D	Jin BL
Cui Z	Joffre F
Cwikiel W	Johansson K
Delahousse M	Johnson C.M
Delorme J.M	Johnsrude I.S
Derhy S	Joseph S
de Villa V	Kadoya M
Dhumeaux D	Kalyoncu F
Dinçer A	Kamino K

Kanazawa S	Nakajo M
Kane R.A	Nakao N
Kanetsuki I	Nakashima R
Katz M.D	Needleman L
Katzen B.T	Neuerburg J
Kauczor HU 179, 185	Nishida N
Kaufman J.A	Nishimura Y
Kaul U	Norgren L
Kempkes U	Ohashi I
Kerns S.R	Ohata M
Kersjes W 170, 185	Ohishi H
Kim S.H	Ohta Y
Kishi K	Okuda Y
Kobayashi H	Osterman F.A. Jr
Kobayashi M	Owen D.A
Koiwaya Y	Oxtoby J.W
Kojima A	Oyama Y
Kollath J	Özmen M.N
Korbin C.D	Pardo F
Kotani K	Park J.H
Kothari S.S	Pärsson H
Kutlešić Č	Pascal JP
Laissey J.P	Pattynama P.M.T
LaMuraglia G.M	Peronneau P
Lecomte E	Perry L.J
Lencioni R	Petkovic B
Le Nihouannen JC	Picardi A
Leurent B	Piquet P
Liermann D	Prieto J
Ling J	Pruvo JP
L'Italien G.J	Quiroga J
Liu YQ	Rahmouni A
Longo J.M 7, 106, 210	Railhac JJ
Lund G.B	Railhac N
	Rajani M
Maquin P	Rao A.S
Mathieu D	Ravel A
Matsui O	Ravi S
Maus T.P	Ravimandalam K
Mayer E	Raza S.J
Mayo J.R	Redha F
Mazzeo S	Reuter P
McBride K.D	Robertson I
McDermott V.G	Roizental M
McKusick M.A	Rosenblatt M
Megerman J	Rossi G.P
Menu Y	Rousseau H
Mery J.P	Roy S
Mihailović D	Ruijs P.A
Mildenberger P	Ruza M
Miller G.L. III	Sabatelli F.W
Miotto D	Sagan C
Mitchell S.E	Sanchez F.W
Miura K	Sapoval M.R
Miyayama S	Sato M
Miyazono N	Savader S.J
Moll R	Savastano S
Morioka N	Savić V
Morishita S	Sawada S
Morris D.C	Schild H.H
Moulin G	Schopohl B
Nakagawa N	Schweden F
Nakajima Y	Schwickert H.C

Senda T	Triller J
Servois V	Tripp M.D
Sharma S	Tudder G.B
Shimada J	Uchida H
Shlansky-Goldberg R	Unni M
Shrivastava S	Van Allan R.J
Sibert A	Vavasseur D
Smith S.J	Veltri A
Sneed T.A	Venbrux A.C
Sola J	Viallet J.F
Sonomura T	Vignali C
Spalluto F	Vinel JP
Spears J.R	Vogelzang R.L
Sproat I.A	Vorwerk D
Stanson A.W	Vyborny C
Starck E.E	Wagner HJ
Starks K.C	Wakabayashi M
Strassmann G	Waltman A.C
Strecker EP	Wang M
Sullivan K.L	Wang MC
Suruda T	Watkinson A.F
Suzuki S	Weir I.H
Swartbol P	West D.J
	Wholey M.H
	Wildenhain P.M
	Wolber R
	Yamada R
	Yang L
Tanigawa N 102, 339	Yasui K
Tarazov P.G	Yeong C.C
Teare J.P	Yoshida T
Teitelbaum G.P	Yoshikawa J
Tomiguchi S	Yucel E.K
Tønnesen K.H	Zemel G
Torraco A	Zhang J
Trerotola S.O	Zozaya J.M

Subject Index

-,-, fibrinolysis, rtPA, 214

-,-, thrombolysis, 164 Abscess drainage, lung, percutaneous, 339 -, supraaortic, lesion, in renovascular hypertension, 264 Aneurysm, —, colic artery, ruptured, selective arteriography, 167 upper limb, thrombolysis for ischemia, 81 Ascites, malignant, indwelling peritoneal access, 292 -, embolization, -,-, inferior pancreaticoduodenal artery, 217 -, embolectomy, percutaneous long-term results, 241 -,-, splenic artery, 179 -, needle, hydatid cysts, 271 Angiography, -, in aortoarteritis, 2 Atherectomy, -, magnetic resonance, 2D, TOF, 138 -, catheter, Omnicath, in swine, 226 -, myocardial infarction, 87 -, comparison with PTA, 305 Angiomyolipoma, fat thrombus in IVC, 152 -, infrainguinal directional, 305 , PT, superficial femoral and popliteal arteries, 312 Angioplasty, -, percutaneous transluminal, Atheromatous plaque, angiography, 87 ,-, alone and with Wallstent, Azotemia, PTRA, 143 -,-,-, in pig iliac arteries, 190 Bile duct stenosis in liver Tx, stenting, 210 -,--,-, in subclavian steal syndrome, 328 Biliary drainage, fistula, 295 -,-, influence of angiographic morphology on outcome in Biliary strictures, metallic stent, 127 aortitis, 147 Biopsy, liver, transfemoral, by forceps, 252 -,-, with thrombolysis in Buerger's disease, 333 Brachial artery, fibromuscular disease, digital emboli, 69, 95, -, renal artery disease in azotemic patients, 143 -, technique, crossover guidewire loop, 116 Bronchial artery embolization, Angioscopy, quantitative, luminal dimensions, 197 -, complications, 36 Aortic aneurysms, turbo-FLASH MR, 17 for hemoptysis, 276 Aortic bifurcation obstruction, PTA technique, 116 Buerger's disease, thrombolysis and angioplasty, 333 Carbon dioxide microbubbles, US enhancement, liver tumors, Aortic dissection, dynamic MRI, 17 Aortitis, Takayasu's 133 -, expanding metallic stents, 102 Carcinoma, renal cell, TAE with ethanol and iodized oil, 323 -, influence of angiographic morphology on PTA outcome, Catheter, -, atherectomy, Omnicath, in swine, 226 Aortoarteritis, pulmonary artery involvement, 2 -, complication, Arteries, peripheral, Omnicath atherectomy, 226 -,-, perforation, 41 Arteriography, selective, ruptured aneurysm, 167 , sutured to IVC wall, retrieval, 347 Arteriovenous, Catheterization, right heart, complication, 301 -, fistula, postlaminectomy, 336 Cholecystodocholithotomy, percutaneous, 207 -, malformation, mandibular, 222 Cirrhosis, TIPS, 44 -,-, partially thrombosed portal veins, 106 Artery, -, brachial, fibromuscular disease, digital emboli, 69, 95, 99 -,-, thin-needle puncture technique, 343 -, bronchial, embolization, -, with Wallstent, 7 -,-, complication, 36 Coils, platinum, venogenic impotence, 170 -,-, for hemoptysis, 276 Computed tomography, pulmonary artery sarcoma, 185 -, dynamic mechanical properties, 312 Contrast radiation, afterloading technique, 12 -, elasticity, 22 Coronary artery disease, angiography, 87 -, femoropopliteal, Dacron mesh-covered Z-stent, 33 -,-, directional atherectomy, 305 Digital emboli, brachial artery fibromuscular disease, 95, 99 -,-, occlusion, hydrophilic guidewire, 319 Digital subtraction angiography, aortoarteritis, 2 -, gastroduodenal, perforation by guidewire, 41 Directional atherectomy, -, iliac, pig, PTA and Wallstent placement, 190 -, comparison to PTA, 305 -, inferior pancreaticoduodenal, aneurysm, embolization, —, infrainguinal, 305 217 Drainage, -, popliteal, atherectomy, 312 -, biliary, fistula, 295 -, percutaneous, lung abscess, 339 -, pulmonary, sarcoma, CT, MRI, 185 -, marginal of Drummond, embolization for hemorrhage, Embolectomy, -, percutaneous aspiration, long-term results, 241 -, middle colic, ruptured aneurysm, selective arteriography, -, pseudoaneurysm, embolization, 155 167 Emboli, digital, brachial artery fibromuscular disease, 65, 69 -, renal, Embolization, -,-, disease, PTA in azotemic patients, 143 -, bronchial artery, -,-, percutaneous recanalization, 258 -,-, complication, 36 -,-, 2D TOF magnetic resonance angiography, 138 —,—, for hemoptysis, 276 -, splenic, aneurysm, embolization, 179 -, direct, postembolectomy pseudoaneurysm, 155 -, superficial femoral, atherectomy, 312 -, inferior pancreaticoduodenal artery aneurysm, 217 -, superior SMA, -, mandibular AVM, direct transosseous puncture, 222

-, splenic artery aneurysm, 179

-, transbiliary, biliary-hepatic artery fistula, 295

-, transcatheter arterial,

-,-, and ethanol injection, in HCC, 70

-,-, dose level of Lipiodol, 76

-,-, marginal artery of Drummond, for hemorrhage, 161

-,-, renal cell carcinoma, with ethanol and iodized oil, 323

-, transhepatic shunt, for encephalopathy, 298

Encephalopathy, hepatic, from splenorenal shunt, 298 Ethanol injection, TAE,

-, for HCC, 70

-, for renal cell carcinoma, with iodized oil, 323

Femoropopliteal artery,

-, directional atherectomy, 305

-, occlusion, hydrophilic guidewire, movable core, 319

Fibrinolysis, rtPA, superior SMA, 214

Fibromuscular disease, brachial artery, digital emboli, 69, 95,

Filter placement, IVC thrombosis after, 38

Filter,

-, Greenfield IVC,

-,-, misplaced, retrieval, 110

-,-, strut interlocking, 204

-, Gunther basket, IVC, mechanical instability, 247

-, biliary-hepatic artery, embolization, 295

-, portal vein, 44

—, postlaminectomy, AV, 336

Foreign body retrieval,

-, deeply-lodged catheter fragments, 113

-, filter, 110

—, sutured central venous catheter in IVC, 347 Gastroduodenal artery perforation by guidewire, 41 Guidewire,

-, arterial perforation, 41

-, hydrophilic, movable core, 319

Gunther basket IVC filter, mechanical instability, 247 Heart catheterization, pseudoaneurysm, 301

Hemoptysis, bronchial artery embolization, 276

-, complication, 36

Hemorrhage,

—,after guidewire perforation, 41

—,embolization of marginal artery of Drummond, 161 Heparin, complication, embolization for hemorrhage, 161

Hepatic encephalopathy from splenorenal shunt, 298

Hepatocellular carcinoma, TAE,

-, and ethanol injection, 70

-, lipiodol dose level, 76

Hydatid cysts, pulmonary, percutaneous treatment, 271 Hyperplasia, preventing after stent implantation, 12

Hypertension,

-, renovascular,

-,-, supraaortic artery lesion, 264

-,-, 2D TOF MRA, 138

-, TIPS, thin-needle puncture technique, 343

Iliac artery, in pigs, PTA and Wallstent, 190

Impotence, venogenic, microcoils, 170

Inferior vena cava,

-, Greenfield filter,

-,-, misplaced, retrieval, 110

-,-, strut interlocking, 204

-, Gunther basket filter, mechanical instability, 247

-, imaging fat thrombus in, 152

-,-thrombosis, 38

Intrahepatic portocaval shunt, transjugular, 106

Intrahepatic portosystemic venous shunt, 44

-, Wallstent, 7

Intravascular ultrasound, arterial compliance, 22

Iodized oil and ethanol, TAE for renal cell carcinoma, 323 Ischemia,

-, lower limb, thrombolysis and angioplasty, 333

-, upper limb, thrombolysis, 81

Jaundice, obstructive, metallic stents, 127

Lightwire, quantitative angioscopy, 197

Lipiodol dose level in TAE of HCC, 76

Liver biopsy, transfemoral, by forceps, 252

Liver tumors, US with CO₂ microbubbles, 133

Luminal dimensions, quantitative angioscopy, 197 Lung abscess, 339

Magnetic resonance,

-, angiography, 2D TOF, comparison with angiography, 38

-, pulmonary artery sarcoma, 185

-, Turbo-FLASH dynamic, aortic aneurysm, 17

Malignant ascites, indwelling peritoneal access, 292

Mandibular AVMs, direct transosseous puncture, 222

Mediastinal mass in pseudotruncus arteriosus, 158

Mesenteric artery, superior, fibrinolysis, 214

Metallic stent,

-, obstructive jaundice, 127

-, Takayasu's aortitis, 102

Microcoils, platinum, venogenic impotence, 170

Middle colic artery ruptured aneurysm, 167

Mirizzi syndrome, percutaneous stone removal, 207

Myocardial infarction, angiography, 87

Needle,

-, aspiration, hydatid cysts, 271

-, thin, puncture technique for TIPS, 343

Neointima formation, stents of different radial force, 27 Occlusion,

 —, femoropopliteal, hydrophilic guiwire with movable core, 319

—, renal, percutaneous recanalization, 258

Occlusion, venous, platinum coils, 170

Pancreaticoduodenal aneurysm, embolization, 217

Percutaneous transluminal angioplasty,

-, alone and with Wallstent,

-,-, in pig iliac arteries, 190

-,-, in subclavian steal syndrome, 328

-, balloon, technique, 116

 influence of angiographic morphology on outcome in aortitis, 147

-, renal, in azotemic patients, 143

Perforation, arterial, by guidewire, 41

Peripheral arteries, Omnicath atherectomy, 226

Peritoneal,

-, access device, permanent indwelling, 292

-, port, malignant ascites, 292

Platelets and neutrophils, PTA, pig iliac arteries, 190

Popliteal artery, atherectomy, 312

Portal hypertension, TIPS, 7, 106

Portal vein stenosis in liver Tx, stenting, 210 Postlaminectomy AV fistula, 336

Pseudoaneurysm,

-, common femoral vein after right heart catheterization,

-, postembolectomy, embolization, 155

-, splenic artery, embolization, 179

Pseudotruncus arteriosus, mediastinal mass, 158

Pulmonary hydatid cysts, percutaneous treatment, 271

Pulmonary artery,

-, involvement in aortoarteritis, 2

-, sarcoma, CT, MRI, 185

Puncture technique, thin needle, for TIPS, 343

Quantitative angioscopy, luminal dimensions, 197

Radiotherapy, prophylactic endovascular, 12

Recanalization, percutaneous, renal artery, 258 Renal artery,

-, disease, PTA in azotemic patients, 143

-, occlusion, percutaneous recanalization, 258

-, 2D TOF MRA, 138

Renal cell carcinoma, TAE with ethanol and iodized oil, 323 Renovascular hypertension,

-, supraaortic artery lesions, 264

-, 2D TOF MRA, 138

Retrieval,

-, deeply-lodged catheter fragments, 113

-, misplaced filter, 110

-, sutured central venous catheter, 347

rtPA, superior SMA, 214

Sarcoma, pulmonary artery, CT, MRI, 185

-, intrahepatic,

-,-, portocaval venous, 106

-,-, portosystemic, 7, 44

-,-,-, transhepatic and transvenous approach, 173

spontaneous splenorenal, causing encephalopathy, 298
Splenic artery aneurysm, embolization, 179

-, bile duct in liver Tx, Wallstents, 210

-, portal vein in liver Tx, Wallstents, 210

-, tracheobronchial, Z-stent, 33

Stent.

-, bile duct stenosis in liver Tx, 210

-, different radial force affecting neointima formation, 27

-, lung abscess drainage, 339

-, neointima formation, canine study, 27

-, obstructive jaundice, 127

-, portal vein stenosis in liver Tx, 210

-, preventing hyperplasia after, 12

—, self-expanding metallic, Takayasu's aortitis, 102

-, tantalum, in sheep, plasma treatment to clean, 285

-, urethral strictures in dogs, 280

-, with PTA,

-,-, in pig iliac arteries, 190

-,-, in subclavian steal syndrome, 328

-, Z, tracheobronchial stenosis, 33

Stone removal, percutaneous, Mirizzi syndrome, 207 Strecker stent, tantalum, plasma treatment to clean, 285 Streptokinase, SMA thromboembolus, 164

Strictures

-, biliary, metallic stent, 127

-, canine urethra, tantalum stent, 280

Subclavian steal syndrome, PTA and stent, 328

Superficial femoral artery, atherectomy, 312

Superior mesenteric artery, thrombolysis, 164

Supraaortic artery lesions in renovascular hypertension, 264

Takayasu's aortitis, expanding metallic stents, 102

Technique, angioplasty, crossover guidewire loop, 116

Thromboembolus, SMA, Streptokinase, 164

Thrombolysis,

-, Buerger's disease, 333

-, ischemia, upper limb, 81

-, partially occluding SMA by Streptokinase, 164

-, pulse-spray, IVC, 38

Thrombus, fat, in IVC, imaging, 152

TIPS.

-, in partially thrombosed portal veins, 106

-, thin-needle puncture technique, 343

-, transhepatic and transvenous approach, 173

-, using Wallstent, 7

Tracheal compression in pseudotruncus arteriosus, 158

Transcatheter arterial embolization,

—, and ethanol injection in HCC, 70

-, lipiodol dose level, 76

Transjugular intrahepatic portosystemic shunt, 44

—, thin-needle puncture technique, 343

-, transhepatic and transvenous approach, 173

-, using Wallstent, 7

Ultrasound with CO₂ microbubbles, liver tumors, 133

Urethral strictures in dogs, stents, 280

Venogenic impotence, microcoils, 170

Wallstent in TIPS, 7

Z-stent, tracheobroncial stenosis, 33

